

# Electric Food Processors powered by Hallde

Engineered to apply the ideal combination of torque and speed, no other machines in their class deliver a higher quality yield, in more variations, with longer performance life. —Now come standard with two cutting tools!



## a New 'Turn' on Food Processing

High-capacity food prep especially when optimum food quality matters—is not about horsepower or speed.

### It's about torque.

And only one name has that knowledge built into its line of commercial food processors to deliver a performance and ROI unmatched in the industry.











#### **Higher Food Quality**

Unlike other commercial processors that over-rely on speed to maximize throughput, Nemco places an emphasis on **torque** to maintain cutting strength, without "attacking" and tearing the food. You still get the high-capacity throughput. But you also get a cleaner, higher integrity cut and finer blending textures for optimum food flavor, aroma and appearance.

#### More Cutting Versatility

Higher **torque** means better acceleration and power. Starting from zero, Nemco's blades hit top speed faster and maintain that speed regardless of the load—whether cutting a soft tomato or a stubborn cheese. You get more product uniformity, across a wider range of processing options.

#### **Longer Performance Life**

Optimum speed-to-torque doesn't just relieve stress on the food. It relieves stress on the blades. In combination with a stout, robust design, including a cast-aluminum cutting chamber, internal metal-to-metal contact points, commercial-grade ABS plastic and other features spec'd for durability, you get a processor that lasts at least twice as long as others on the market.

#### Oh, And, Super-Easy Operation

Like you'd expect from the leader in countertop food prep, every Nemco processor is ergonomically designed with smart safety features for simple operation. Plus, they have easy-to-disassemble, dishwasher-safe components and they're all lightweight and compact with handles for easy mobility and storage.

## Multifunction Vegetable-Prep Machine

Slice, dice, shred, grate, crinkle-cut or julienne just about any produce or cheese item you can imagine in volumes that will improve your kitchen efficiency like you've never seen. Smart speed-to-torque engineering works fast while minimizing stress on both the food and the blades for optimum food

quality and longer service life.

Wide opening and blade diameter optimize feed capacity

Processes 5 lbs/minute

Cutting tool changeout is super easy—even for rookies

\*Comes standard with 5/32" Slicer and 5/64" Grater/Shredder

Also Available: Model RG-50S

Does everything the RG-50 does, but without the dicing capability.

#### **Suggested Uses**

Ideal for restaurant & hospitality operations, as well as healthcare and school institutions, looking to increase food-prep volume on anything from fruits and veggies to cheese, dry bread, nuts and more.

#### **General Specifications**

Model	Description	
RG-50	Vegetable-Prep Machine, Multifunction w/Dicing	
RG-50S	Vegetable-Prep Machine, Multifunction	
Dimensions		
Equipment (w x d x h)	11.2" x 13.8" x 18.3"	
Shipping Carton (I x d x h)	19" x 12" x 18.5"	
<b>Equipment Weight</b>	20 lbs (RG-50), 18 lbs (RG-50S)	
Shipping Weight	24 lbs (RG-50), 20 lbs (RG-50S)	

Electrical Specs: 120V, Single-Phase, 60 Hz Motor: 1kW, One-Speed (500 RPM)





## Vertical Cutter/Blender

Chop, grind, mix, mince, puree or blend an endless array of proteins, produce and more. Two speeds, with the right torque application ensure crisp, clean cuts; smooth, uniform

textures; and perfectly harmonized blends. A patented three-scraper system clears food away from the lid and bowl and forces it back into the blades to prevent "chasing" that generates friction and unwanted preheat.

Three-scraper system with handle works with a simple rocking motion

3 quart-capacity bowl for blending

Two speeds with a pulse function apply ideal RPM for cutting or blending

#### Suggested Uses

Model RG-50

Perfect for restaurants, cafés, bars or any operation that serves specialty drinks or house-made nut butters, soups, sauces, dressings or pâtés. Especially ideal for healthcare facilities with patients who can't chew food.

#### **General Specifications**

Model	Description	
VCB-32	Vertical Cutter/Blender	
Dimensions		
Equipment (w x d x h)	11.2" x 13.2" x 17.3"	
Shipping Carton (I x d x h)	19" x 12" x 18.5"	
Equipment Weight	19 lbs	
Shipping Weight	24 lbs	

Electrical Specs: 120V, Single-Phase, 60 Hz Motor: 1kW, Two-Speed (1,450 or 2,650 RPM)





## Combi Cutter

This is your most versatile food-processing tool yet, equipped with four speeds and the functionality to combine all the vegetable-prep and blending capabilities of the above machines into one dynamic unit.

For vegetable prep, processes 5 lbs/minute

3 quart-capacity bowl for blending

Speeds change automatically, per the desired function, with no manual adjustments needed—so, the perfect result is guaranteed, even in the hands of your most inexperienced staff

\*Comes standard with 5/32" Slicer and 5/64" Grater/Shredder



#### Suggested Uses

Any operation that wants to deploy a full arsenal of highcapacity food processing capabilities will want this amazing utility machine. Run loads of produce, cheeses and more through a wide range of cut variations. Or, grind and puree everything from meats and fish to veggies and nuts. Or, blend nearly any set of ingredients into a perfect house recipe.

#### **General Specifications**

Model	Description	
CC-34	Combi Cutter, Multifunction w/Dicing	
CC-32S	Combi Cutter, Multifunction	
Dimensions		
Equipment (w x d x h)	11.2" x 13.8" x 18.3"	
Shipping Carton (I x d x h)	19" x 12" x 18.5"	
Equipment Weight	19 lbs (CC-34), 17 lbs (CC-32S)	
Shipping Weight	29 lbs (CC-34), 22 lbs (CC-32S)	

Electrical Specs: 120V, Single-Phase, 60 Hz

CC-34 Motor: 1kW, Four-Speed (500/800 RPM or 1,450 or 2,650 RPM) CC-32S Motor: 1kW, Two-Speed (500 RPM or 1,450 RPM)





## **Far More Cutting Options** Than Any Other Countertop Food Processor

For RG and CC models, use this cutting-tool selection guide to identify the cut type and thickness variations you want.



#### Slicers

Slices firm and soft vegetables, fruits, mushrooms etc. Dices when combined with a suitable dicing grid.









7/32



#### **Fine Cut Slicers**

Slices firm and soft vegetables, fruits, mushrooms etc. Dices when combined with a suitable dicing grid.





#### **Soft Slicers**

Slices soft vegetables, fruits, mushrooms etc. Preferably used when dicing soft products, in combination with a suitable dicing grid.












#### **Crimping Slicers**

Cut decorative rippled slices of beetroot, cucumber, carrots, etc.





#### **Julienne Cutters**

Cut julienne of firm products for soups, salads, stews, decorations etc. Suitable to cut slightly curved French fries.










#### **Graters/Shredders**


Grates carrots and cabbage for raw salads. Grates nuts, almonds and dry bread. Grater 7/32" or 5/16" is commonly used for grating cheese for pizza and when shredding cabbage.





#### **Dicing Grids** (For Models RG-50 and CC-34 Only)

Cut dices in combination with a suitable type of slicer. Dice both hard and soft vegetables, fruits etc.









Far More Output Variations
Than Any Other Countertop Food Processor



Combi Cutter

## **Cutting Tools**

	Model #	Description
	285001	Slicer 1/32" (1 mm)
DC EU DC EUC	285002	Slicer 5/64" (2 mm)
RG-50, RG-50S  Vegetable-Prep Machines	* 285004	Slicer 5/32" (4 mm)
	285006	Slicer 7/32" (6 mm)
	263104	Slicer 3/8" (10 mm)
	283375	Soft Slicer 5/16" (8 mm)
	283364	Soft Slicer 3/8" (10 mm)
	283385	Soft Slicer 15/32" (12 mm)
	283383	Soft Slicer 5/8" (15 mm)
	285048	Crimping Slicer 5/32" (4 mm)
	285057	Julienne Cutter 5/64" (2x2 mm)
	285050	Julienne Cutter 5/32" (4x4 mm)
	263138	Julienne Cutter 7/32" (6x6 mm)
	* 285044	Grater/Shredder 5/64" (2 mm)
	285040	Grater/Shredder 5/32" (4 mm)
	285045	Grater/Shredder 7/32" (6 mm)
	283214	Grater/Shredder 5/16" (8 mm)

*Comes standard with each Vegetable-Prep machine.
---------------------------------------------------

	Model #	Description
	283291	Dicing Grid 5/16" pairs with:
Dicing Options		283375 Soft Slicer 5/16" (8 mm)
(RG-50 and	283292	Dicing Grid 3/8" pairs with:
CC-34 Only)		263104 Slicer 3/8" (10 mm)
		283375 Soft Slicer 5/16" (8 mm)
		283364 Soft Slicer 3/8" (10 mm)
	283294	Dicing Grid Low 15/32" pairs with:
		283385 Soft Slicer 15/32" (12 mm)
	283296	Dicing Grid Low 5/8" pairs with:
		283385 Soft Slicer 15/32" (12 mm)
		283383 Soft Slicer 5/8" (15 mm)
	285007	Dicing Grid 3/4" pairs with:
		283375 Soft Slicer 15/16" (8 mm)
		283364 Soft Slicer 3/8" (10 mm)



\*Comes standard with each Combi Cutter.



Replacement parts are available through Nemco's 24-hour Zip Program.

Nemco reserves the right to make design, specification or model changes without notice.



Physical Address: Corporate HQ 301 Meuse Argonne I Hicksville, OH 43526

**800.782.6761 • 419.542.7751 • f**: 419.542.6690 *Mailing Address:* 

PO Box 305 | Hicksville, OH 43526

Nemco West Distribution Center/Test Kitchen 4300 E Magnolia Street I Phoenix, AZ 85034

NemcoFoodEquip.com